



MATERIAL SAFETY DATA SHEET

Sakrete Flo-Coat Concrete Resurfacer 20 lb. pail
Sakrete Flo-Coat Concrete Resurfacer 40 lb. bag
Sakrete Flo-Coat Concrete Resurfacer 40 lb. pail

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name/Number: 1. Sakrete Flo-Coat Concrete Resurfacer 20 lb. pail
Product Number: 65450007

2. Sakrete Flo-Coat Concrete Resurfacer 40 lb. bag
Product Number: 65450019

3. Sakrete Flo-Coat Concrete Resurfacer 40 lb. pail
Product Number: 65450034

Product Use: Various.

Manufacturer/Supplier: Bonsal American, Inc.
8201 Arrowridge Blvd.
Charlotte, NC 28273

Phone Number: 800-334-0784 Tech Service 8:00 to 5:00 Eastern, Mon.-Fri.

Emergency Phone: CHEMTREC 800-424-9300
INTERNATIONAL + 01-703-527-3887

Date of Preparation: October 4, 2011

Section 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

CAUTION

A natural chemical reaction during hydration develops sufficient heat to cause severe burns in the event of contact with skin. These burns may possibly result in permanent injury. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin.

Potential Health Effects: See Section 11 for more information.

Likely Routes of Exposure: Skin contact, eye contact, inhalation, and ingestion.

- Eye:** Irritating to eyes. May cause burns in the presence of moisture.
- Skin:** May cause skin irritation. May cause burns in the presence of moisture.
- Ingestion:** May be harmful if swallowed. May cause stomach distress, nausea or vomiting.
- Inhalation:** May cause respiratory tract irritation.

Chronic Effects: Prolonged or repeated contact may dry skin and cause irritation.

Signs and Symptoms: Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. Skin contact during hydration may slowly develop sufficient heat that may cause severe burns possibly resulting in permanent injury. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin. Handling can cause dry skin.

Medical Conditions Aggravated By Exposure: Asthma. Allergies.

Target Organs: Skin, eyes, gastrointestinal tract, respiratory system.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

This product is a hazardous chemical as defined by NOM-018-STPS-2000.



MATERIAL SAFETY DATA SHEET

Sakrete Flo-Coat Concrete Resurfacer 20 lb. pail
Sakrete Flo-Coat Concrete Resurfacer 40 lb. bag
Sakrete Flo-Coat Concrete Resurfacer 40 lb. pail

Potential Environmental Effects: No ecological consideration when used according to directions. Normal dilution of this product to drains, sewers, septic systems and treatment plants is not considered environmentally harmful. See Section 12 for more information.

Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	UN Number	H / F / R / Special*	CAS #	Wt. %
Silica, crystalline, quartz	Not available.	Not available.	14808-60-7	40 - 70
Portland cement	Not available.	1 / 0 / 0	65997-15-1	15 - 40
Cement, alumina, chemicals	Not available.	Not available.	65997-16-2	7 - 13
Wollastonite (calcium metasilicate)	Not available.	Not available.	13983-17-0	0.5 - 1.5
Silica, amorphous, fumed	Not available.	Not available.	7631-86-9	0.1 - 1
Calcium formate	Not available.	Not available.	544-17-2	0.1 - 1
Acetaldehyde	Not available.	3 / 4 / 2	75-07-0	<0.1
Hydroxypropyl methylcellulose	Not available.	Not available.	9004-65-3	<0.1

* Per NOM-018-STPS-2000

Section 4: FIRST AID MEASURES

Eye Contact: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Get medical attention immediately.

Skin Contact: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.

Inhalation: If breathed in, move person into fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Ingestion: If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

General Advice: In case of accident or if you feel unwell, seek medical advice immediately (show the label or MSDS where possible).

Note to Physicians: Symptoms may not appear immediately.

Section 5: FIRE FIGHTING MEASURES

Flammability: Not flammable by WHMIS/OSHA criteria.

Means of Extinguishing:

Suitable Extinguishing Media: Treat for surrounding material.

Unsuitable Extinguishing Media: Not available.

Products of Combustion: May include, and are not limited to: oxides of carbon.

Explosion Data:

Sensitivity to Mechanical Impact: Not available.

Sensitivity to Static Discharge: Not available.

Protection of Firefighters: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).



MATERIAL SAFETY DATA SHEET

Sakrete Flo-Coat Concrete Resurfacer 20 lb. pail
Sakrete Flo-Coat Concrete Resurfacer 40 lb. bag
Sakrete Flo-Coat Concrete Resurfacer 40 lb. pail

Section 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental Precautions: If large quantities enter a waterway, advise local authorities.

Methods for Containment: Contain spill, then place in a suitable container. Minimize dust generation. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for Clean-Up: Vacuum or sweep material and place in a disposal container.

Other Information: Not available.

Section 7: HANDLING AND STORAGE

Handling:

Avoid contact with skin and eyes. Do not swallow. Good housekeeping is important to prevent accumulation of dust. Avoid generating dust. The use of compressed air for cleaning clothing, equipment, etc, is not recommended. Handle and open container with care. When using do not eat or drink. Wash hands before eating, drinking, or smoking.

Storage:

Keep out of reach of children. Store in dust-tight, dry, labeled containers. Keep containers closed when not in use. Avoid any dust buildup by frequent cleaning and suitable construction of the storage area. Do not store in an area equipped with emergency water sprinklers. Use corrosion-resistant structural materials and lighting and ventilation systems in the storage area.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Ingredient	Exposure Limits	
	OSHA-PEL	ACGIH-TLV
Silica, crystalline, quartz	((10 mg/m ³)/(%SiO ₂ +2) TWA (resp)); ((30 mg/m ³)/(%SiO ₂ +2) TWA (total)); ((250)/(%SiO ₂ +5) mppcf TWA (resp))	0.025 mg/m ³ 1 mg/m ³ (no asbestos and <1% crystalline silica, respirable fraction)
Portland cement	15 mg/m ³ (total); 5 mg/m ³ (resp)	Not available.
Cement, alumina, chemicals	Not available.	10 mg/m ³ (total); 3 mg/m ³ (resp)
Wollastonite (calcium metasilicate)	15 mg/m ³ (total); 5 mg/m ³ (resp)	10 mg/m ³
Silica, amorphous, fumed	80 mg/m ³ /%SiO ₂	Not available.
Calcium formate	Not available.	Not available.
Acetaldehyde	200 ppm	Not available.
Hydroxypropyl methylcellulose	Not available.	Not available.

Engineering Controls: When using product, provide local and general exhaust ventilation to keep airborne dust concentrations below exposure limits.

Personal Protective Equipment:

Eye/Face Protection: Wear approved eye protection (properly fitted dust- or splash-proof chemical safety goggles) and face protection (face shield).

Hand Protection: Wear suitable gloves.



MATERIAL SAFETY DATA SHEET

Sakrete Flo-Coat Concrete Resurfacer 20 lb. pail
Sakrete Flo-Coat Concrete Resurfacer 40 lb. bag
Sakrete Flo-Coat Concrete Resurfacer 40 lb. pail

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: A NIOSH approved particulate respirator is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2).

General Hygiene Considerations: Handle according to established industrial hygiene and safety practices.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Powder.
Color:	Not available.
Odour:	Characteristic.
Odour Threshold:	Not available.
Physical State:	Solid.
pH:	10-12
Viscosity:	Not available.
Freezing Point:	Not available.
Boiling Point:	Not available.
Flash Point:	Not available.
Evaporation Rate:	Not available.
Lower Flammability Limit:	Not available.
Upper Flammability Limit:	Not available.
Vapor Pressure:	Not available.
Vapor Density:	Not available.
Specific Gravity:	Not available.
Solubility in Water:	Not available.
Coefficient of Water/Oil Distribution:	Not available.
Auto-ignition Temperature:	Not available.
Percent Volatile, wt. %:	Not available.
VOC content, wt. %:	Not available.

Section 10: STABILITY AND REACTIVITY

Stability: Stable under normal storage conditions. Keep dry in storage.

Conditions of Reactivity: Heat. Incompatible materials. Moisture.

Incompatible Materials: None known.

Hazardous Decomposition Products: May include, and are not limited to: oxides of carbon.

Possibility of Hazardous Reactions: No dangerous reaction known under conditions of normal use.



MATERIAL SAFETY DATA SHEET

Sakrete Flo-Coat Concrete Resurfacer 20 lb. pail
Sakrete Flo-Coat Concrete Resurfacer 40 lb. bag
Sakrete Flo-Coat Concrete Resurfacer 40 lb. pail

Section 11: TOXICOLOGY INFORMATION

EFFECTS OF ACUTE EXPOSURE

Component Analysis

Ingredient	IDLH	LD ₅₀ (oral)	LC ₅₀
Silica, crystalline, quartz	Not available	500 mg/kg, rat	Not available.
Portland cement	Not available	Not available.	Not available.
Cement, alumina, chemicals	Not available	Not available.	Not available.
Wollastonite (calcium metasilicate)	Not available	Not available.	Not available.
Silica, amorphous, fumed	Not available	5000 mg/kg, rat	> 200000 mg/m ³ 1hr, rat
Calcium formate	Not available	2650 mg/kg, rat	Not available.
Acetaldehyde	Not available	1930 mg/kg, rat	Not available.
Hydroxypropyl methylcellulose	Not available	Not available.	Not available.

Eye: Irritating to eyes. May cause burns in the presence of moisture. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

Skin: May cause skin irritation. May cause burns in the presence of moisture. Skin contact during hydration may slowly develop sufficient heat that may cause severe burns possibly resulting in permanent injury. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin. Handling can cause dry skin.

Ingestion: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

Inhalation: May cause respiratory tract irritation.

EFFECTS OF CHRONIC EXPOSURE

Target Organs: Lungs.

Chronic Effects: Hazardous by WHMIS/OSHA criteria.

Carcinogenicity: Hazardous by WHMIS/OSHA criteria.

Ingredient	Chemical Listed as Carcinogen or Potential Carcinogen *
Silica, crystalline, quartz	G-A2, I-1, N-1, CP65
Portland cement	G-A4
Cement, alumina, chemicals	Not listed.
Wollastonite (calcium metasilicate)	I-3
Silica, amorphous, fumed	I-3
Calcium formate	Not listed.
Acetaldehyde	G-A3, I-1, I-2B, N-2, CP65
Hydroxypropyl methylcellulose	Not listed.

* See Section 15 for more information.

Mutagenicity: Not hazardous by WHMIS/OSHA criteria.

Reproductive Effects: Not hazardous by WHMIS/OSHA criteria.

Developmental Effects:

Teratogenicity: Not hazardous by WHMIS/OSHA criteria.

Embryotoxicity: Not hazardous by WHMIS/OSHA criteria.



MATERIAL SAFETY DATA SHEET

Sakrete Flo-Coat Concrete Resurfacer 20 lb. pail
Sakrete Flo-Coat Concrete Resurfacer 40 lb. bag
Sakrete Flo-Coat Concrete Resurfacer 40 lb. pail

Respiratory Sensitization: Not hazardous by WHMIS/OSHA criteria.

Skin Sensitization: Not hazardous by WHMIS/OSHA criteria.

Toxicologically Synergistic Materials: Not available.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity: No ecological consideration when used according to directions. Normal dilution of this product to drains, sewers, septic systems and treatment plants is not considered environmentally harmful.

Persistence / Degradability: Not available.

Bioaccumulation / Accumulation: Not available.

Mobility in Environment: Not available.

Section 13: DISPOSAL CONSIDERATIONS

Disposal Instructions:

This material must be disposed of in accordance with all local, state, provincial, and federal regulations.

Section 14: TRANSPORTATION INFORMATION

DOT Classification

Not regulated

TDG Classification

Not regulated

NOM-004-SCT2-1994 Classification

Not regulated

Section 15: REGULATORY INFORMATION

Federal Regulations

Canadian: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

US: MSDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200).

Mexico: MSDS prepared pursuant to NOM-018-STPS-2000.

SARA Title III

Ingredient	Section 302 (EHS) TPQ (lbs.)	Section 304 EHS RQ (lbs.)	CERCLA RQ (lbs.)	Section 313
Silica, crystalline, quartz	Not listed.	Not listed.	Not listed.	Not listed.
Portland cement	Not listed.	Not listed.	Not listed.	Not listed.
Cement, alumina, chemicals	Not listed.	Not listed.	Not listed.	Not listed.
Wollastonite (calcium metasilicate)	Not listed.	Not listed.	Not listed.	Not listed.
Silica, amorphous, fumed	Not listed.	Not listed.	Not listed.	Not listed.
Calcium formate	Not listed.	Not listed.	Not listed.	Not listed.
Acetaldehyde	Not listed.	Not listed.	1,000	313
Hydroxypropyl methylcellulose	Not listed.	Not listed.	Not listed.	Not listed.



MATERIAL SAFETY DATA SHEET

Sakrete Flo-Coat Concrete Resurfacer 20 lb. pail
Sakrete Flo-Coat Concrete Resurfacer 40 lb. bag
Sakrete Flo-Coat Concrete Resurfacer 40 lb. pail

State Regulations

California Proposition 65:

This product contains chemicals known to the State of California to cause cancer.

Global Inventories

Ingredient	Canada DSL/NDL	USA TSCA
Silica, crystalline, quartz	DSL	Yes.
Portland cement	DSL	Yes.
Cement, alumina, chemicals	DSL	Yes.
Wollastonite (calcium metasilicate)	No.	No.
Silica, amorphous, fumed	DSL	Yes.
Calcium formate	DSL	Yes.
Acetaldehyde	DSL	Yes.
Hydroxypropyl methylcellulose	DSL	Yes.

HMIS - Hazardous Materials Identification System

Health - 2* Flammability - 0 Physical Hazard - 0

NFPA - National Fire Protection Association:

Health - 2 Fire - 0 Reactivity - 0

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme


WHMIS Classification(s):

- Class D2A - Carcinogenicity
- Class D2A - Chronic Toxic Effects
- Class D2B - Skin/Eye Irritant

WHMIS Hazard Symbols:



Mexico Classification:



Blue = Health Red = Flammability Yellow = Reactivity White = Special

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

- OSHA (O) Occupational Safety and Health Administration.
- ACGIH (G) American Conference of Governmental Industrial Hygienists.
 - A1 - Confirmed human carcinogen.
 - A2 - Suspected human carcinogen.
 - A3 - Animal carcinogen.
 - A4 - Not classifiable as a human carcinogen.
 - A5 - Not suspected as a human carcinogen.



MATERIAL SAFETY DATA SHEET

Sakrete Flo-Coat Concrete Resurfacer 20 lb. pail
Sakrete Flo-Coat Concrete Resurfacer 40 lb. bag
Sakrete Flo-Coat Concrete Resurfacer 40 lb. pail

- IARC (I)** International Agency for Research on Cancer.
1 - The agent (mixture) is carcinogenic to humans.
2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.
2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.
3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.
4 - The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.
- NTP (N)** National Toxicology Program.
1 - Known to be carcinogens.
2 - Reasonably anticipated to be carcinogens.

Section 16: OTHER INFORMATION

Disclaimer:

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Expiry Date: October 4, 2014

Version #: 1.0

Prepared by: Nexreg Compliance Inc.
Phone: (519) 488-5126
www.nexreg.com