

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012. Issue date: 2/11/2022 Revision date: 2/11/2022 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form Product name	: Mixture : All Purpose Gravel
1.2. Recommended use and restrictions on	use
Recommended use	: Various
1.3. Supplier	
Manufacturer Sakrete of North America 625 Griffith Rd., Ste 100 Charlotte, NC 28217 T 866-725-7383	
1.4. Emergency telephone number	
Emergency number	: CHEMTREC (800) 424-9300
SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixt	ure
GHS US classification	
Carc. 1A STOT RE 1	May cause cancer Causes damage to organs through prolonged or repeated exposure
2.2. GHS Label elements, including precaut	ionary statements
GHS US labeling	
Hazard pictograms (GHS US)	
Signal word (GHS US)	: Danger.
Hazard statements (GHS US)	: May cause cancer. Causes damage to organs (lungs) through prolonged or repeated exposure.
Precautionary statements (GHS US)	 Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If exposed or concerned: Get medical advice/attention. Store locked up. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Quartz	CAS-No.: 14808-60-7	60 – 100

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4: First-aid measures		
4.1. Description of first aid measures		
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.	
First-aid measures after skin contact	: IF ON SKIN: Brush off loose particles from skin. Immerse in cool water. Obtain medical attention if irritation persists.	
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
First-aid measures after ingestion	: Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.	
4.2. Most important symptoms and effects (acute and delayed)		
Symptoms/effects after inhalation	: Dust may cause respiratory tract irritation. Respirable crystalline silica (quartz) can cause silicosis, a fibrosis (scarring) of the lungs.	
Symptoms/effects after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause burns in the presence of moisture.	
Symptoms/effects after eye contact	: Dust may cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.	
Symptoms/effects after ingestion	: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.	
Chronic symptoms	: May cause cancer through inhalation of dust. Causes damage to organs (lungs) through prolonged or repeated exposure	

4.3. Immediate medical attention and special treatment, if necessary

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	Use extinguishing media appropriate for surrounding fire.Do not use water jet.	
5.2. Specific hazards arising from the chemical		
Fire hazard	: Products of combustion may include, and are not limited to: oxides of carbon.	

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.		
5.3. Special protective equipment and precautions for fire-fighters		
Protection during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).	
SECTION 6: Accidental release m	easures	
6.1. Personal precautions, protective equipment and emergency procedures		
General measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.	
6.1.1. For non-emergency personnel		
No additional information available		
6.1.2. For emergency responders		
No additional information available		
6.2. Environmental precautions		
Prevent entry to sewers and public waters.		
6.3. Methods and material for containment and cleaning up		
For containment	: Contain spill, then place in a suitable container. Minimize dust generation. Do not flush to sewer	
Methods for cleaning up	or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE). : Vacuum or sweep material and place in a disposal container. Avoid dust formation. Provide ventilation.	
6.4. Reference to other sections		

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Do not breathe dust. Do not swallow. When using do not eat, drink or smoke. Handle and open container with care. Avoid generating dust. The use of compressed air for cleaning clothing, equipment, etc, is not recommended. Good housekeeping is important to prevent accumulation of dust.	
Hygiene measures	: Take off contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace. Wash hands, forearms and face thoroughly after handling.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions	: Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs. Store in dust-tight, dry, labelled containers. Avoid any dust buildup by frequent cleaning and suitable construction of the storage area. Do not store in an area equipped with emergency water sprinklers. Keep container tightly closed when not in use. Store in a cool, well-ventilated place. Store locked up.	

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
All Purpose Gravel		
No additional information available		
Quartz (14808-60-7)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	0.025 mg/m³ (respirable particulate matter)	
ACGIH chemical category	Suspected Human Carcinogen	
USA - OSHA - Occupational Exposure Limits		
Local name	Quartz (Total Dust) (Silica: Crystalline)	
OSHA PEL (TWA) [1]	50 μg/m³ (Respirable crystalline silica)	
Remark (OSHA)	Table Z-3. For OSHA PEL (TWA) use formula: (30 mg/m3 / (%SiO2+2)) for mg/m3. CAS No. source: eCFR Table Z-1.	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-3 Mineral Dusts	

8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls Ensure good ventilation of the work station.Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Wear suitable gloves.

Eye protection:

Wear approved eye protection (properly fitted dust- or splash-proof chemical safety goggles) and face protection (face shield).

Skin and body protection:

Wear suitable waterproof protective clothing.

Respiratory protection:

A NIOSH approved dust mask or filtering facepiece is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2).

Other information:

Handle according to established industrial hygiene and safety practices. Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking.

SECTION 9: Physical and chemical properties	
9.1. Information on basic pl	nysical and chemical properties
Physical state	: Solid
Appearance	: Granular powder.
Color	: No data available
Odor	: No data available

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

VOC content

: 0 % Not applicable; 0 wt, Not applicable.

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Heat. Dust formation. Incompatible materials.

10.5. Incompatible materials

Moisture. Wet cement is alkaline and incompatible with acid, ammonium salts and aluminum metal.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

SECTION 11: Toxicological information I1.1. Information on toxicological effects Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

		,
Respiratory or skin sensitization	:	Not classified
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	May cause cancer.
Quartz (14808-60-7)		
IARC group		1 - Carcinogenic to humans
National Toxicology Program (NTP) Status		Known Human Carcinogens
In OSHA Hazard Communication Carcinogen list		Yes
Reproductive toxicity	:	Not classified
STOT-single exposure	:	Not classified
STOT-repeated exposure		Causes damage to organs (lungs) through prolonged or repeated exposure. Respirable crystalline silica in the form of quartz or cristobalite from occupational sources is
		listed by the International Agency for Research on Cancer (IARC) and National Toxicology
		Program (NTP) as a lung carcinogen. Prolonged exposure to respirable crystalline silica has
		been known to cause silicosis, a lung disease, which may be disabling. While there may be a
		factor of individual susceptibility to a given exposure to respirable silica dust, the risk of
		contracting silicosis and the severity of the disease is clearly related to the amount of dust exposure and the length of time (usually years) of exposure.
Quartz (14808-60-7)		1
STOT-repeated exposure		Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	:	Not classified
Viscosity, kinematic	:	No data available
Symptoms/effects after inhalation		Dust may cause respiratory tract irritation. Respirable crystalline silica (quartz) can cause
		silicosis, a fibrosis (scarring) of the lungs.
Symptoms/effects after skin contact		May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the
		skin. May cause burns in the presence of moisture.
Symptoms/effects after eye contact		Dust may cause eye irritation. Symptoms may include discomfort or pain, excess blinking and
		tear production, with possible redness and swelling.
Symptoms/effects after ingestion		May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Chronic symptoms	:	May cause cancer through inhalation of dust. Causes damage to organs (lungs) through
		prolonged or repeated exposure.
Other information		Likely routes of exposure: ingestion, inhalation, skin and eye.
Other information	:	Likely routes of exposure: ingestion, inhalation, skin and eye.

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general : I	No ecological consideration when used according to directions.	
12.2. Persistence and degradability		
All Purpose Gravel		
Persistence and degradability	Not established.	
12.3. Bioaccumulative potential		
All Purpose Gravel		
Bioaccumulative potential	Not established.	
12.4. Mobility in soil		

No additional information available

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

12.5. Other adverse effects

Other information

: No other effects known.

SECTION 13: Disposal considerations	
13.1. Disposal methods	
Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. The generation of waste should be avoided or minimized wherever possible.

SECTION 14: Transport information	
In accordance with DOT	
14.1. UN number	
Not regulated for transport	
14.2. UN proper shipping name	
Proper Shipping Name (DOT)	: Not applicable
14.3. Transport hazard class(es)	
DOT Transport hazard class(es) (DOT)	: Not applicable
14.4. Packing group	
Packing group (DOT)	: Not applicable
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
Special transport precautions	: Do not handle until all safety precautions have been read and understood.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

15.2. International regulations

No additional information available

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

15.3. US State regulations

WARNING:

This product can expose you to Quartz, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

Issue date	: 2/11/2022		
Revision date	: 2/11/2022		
Other information	: None.		
Prepared by	: Nexreg Compliance Inc. www.Nexreg.com	N E X R E G	

Indication of changes:	
SDS update.	

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.