



PRODUCT GUIDE

DO IT RIGHT. DO IT FAST. MAKE IT LAST.



READY MADE PRO GRADE

Complete pro solutions with consistency you can count on.

Product Portfolio _____	4
Concrete Mixes _____	6
Concrete Repair _____	10
Masonry Mixes _____	12
Flooring, Cements & More _____	16
Specified Products _____	24
Support Beyond the Bag _____	28
Merchandising & In-Store Support _____	30
Product Details _____	32





PRODUCTS FOR EVERY APPLICATION

From everyday projects to critical infrastructure repairs, our complete portfolio of products makes it easy to find, choose and use the right product for every project.



GENERAL

Our core line for residential and commercial applications, general products are the right choice for pro-grade results on nearly any job you'll tackle.

ADVANCED

For specialized project applications, our advanced line of concrete, mortar and repair products offer enhanced performance attributes for demanding commercial applications.



SPECIFIED

Formulated for the most demanding large-scale commercial applications, including masonry and tilt-up construction, infrastructure repair and more.





CONCRETE MIXES & REPAIR PRODUCTS

THE FIRST TO LAST

We made the very first bagged concrete mix with a simple idea: deliver big project formulations in small, convenient portions — so you always have just what you need, right where you need it.

Generations later, we're still pouring more strength, speed and service into every concrete mix and repair product. That's why pros count on Sakrete to do it right, do it fast and make it last.

FEATURED PRODUCT

PRO-MIX ACCELERATED CONCRETE MIX

3,000 psi in one hour.



GENERAL CONCRETE



HIGH STRENGTH CONCRETE MIX

The Original Bagged Concrete Mix

4,000 PSI	2" AND OVER	24 HOURS	80 LB 60 LB 40 LB 10 LB
-----------	-------------	----------	----------------------------------



Pick This Mix For: Slabs/patios, walkways/sidewalks, fence posts & full-depth repairs.

FAST SETTING CONCRETE MIX

Sets Fast to Keep the Job on Track. Sets in 30 minutes.

4,000 PSI	2" AND OVER	6 HOURS	50 LB
-----------	-------------	---------	-------



Pick This Mix For: Fence posts, walkways/sidewalks, full-depth repairs.

SAND MIX

The Versatile Mix

5,000 PSI	½" – 2"	24 HOURS	80 LB 60 LB 40 LB
-----------	---------	----------	-------------------------



Pick This Mix For: Damage repair, resurfacing, shower pans, paver bedding.

MAXIMIZER CONCRETE MIX*

Formulated with Lightweight Aggregates for 67% Higher Yield

5,500 PSI	2" AND OVER	24 HOURS	80 LB
-----------	-------------	----------	-------



Pick This Mix For: Slabs/patios, walkways/sidewalks, balconies & other structural pours.

ADVANCED CONCRETE



5000 PLUS CONCRETE MIX

High Early Strength & Superior Workability

5,000 PSI	2" AND OVER	12 HOURS	50 LB
-----------	-------------	----------	-------



Pick This Mix For: Slabs/patios, walkways/sidewalks, fence posts & full-depth repairs.

CRACK RESISTANT CONCRETE MIX

Minimized Surface Cracking & Enhanced Durability

4,000 PSI	2" AND OVER	24 HOURS	50 LB
-----------	-------------	----------	-------



Pick This Mix For: Slabs/patios, walkways/sidewalks & driveways.

PRO-X180 CONCRETE MIX

Highly Engineered for Commercial Applications

8,000+ PSI	1½" AND OVER	3 HOURS	80 LB
------------	--------------	---------	-------



Pick This Mix For: Applications where high early strength, air entrainment & added durability are desired.


SELF-CONSOLIDATING CONCRETE MIX*

Highly Engineered for Industrial Applications

6,500 PSI	1" – 8"	24 HOURS	50 LB
-----------	---------	----------	-------



Pick This Mix For: Applications where high early strength, corrosion-resistance & pumpability are desired.



IN THE FIELD. ON YOUR PHONE.

Get the Sakrete App for faster, more accurate estimates straight from your phone.

Available for iOS and Android.



ANSWERING THE CALL

When you call us, we answer, ready with expert advice, product info and project tips. Because we know you depend on Sakrete to provide support that goes beyond the bag.

Call us at 866-SAKRETE

GENERAL CONCRETE REPAIR



TOP 'N BOND

Smooth Repairs Without Bonding Agents

5,000 PSI	FEATHER EDGE TO 1/2"	24 HOURS	40 LB 20 LB 10 LB
--------------	----------------------------	-------------	-------------------------



Pick This Mix For: Thin horizontal damage repair & correcting uneven or heaved slabs.

FAST SETTING CEMENT PATCHER

Rapid Repairs of All Damaged Concrete

5,000 PSI	1/4" - 2"	4 HOURS	40 LB 20 LB 10 LB
--------------	-----------	------------	-------------------------



Pick This Mix For: Vertical or horizontal damage repair for slabs, steps, walls & more.

LEAK STOPPER

Hydraulic Cement for Instant Repair, Even Underwater

3,000 PSI	3/4" AND UP	5 MIN	50 LB 20 LB 10 LB
--------------	-------------	----------	-------------------------



Pick This Mix For: Patching leaks in walls, pipes, septic systems, pools & more.

GENERAL CRACK REPAIR

CONCRETE CRACK FILLER

Ready-to-Use Concrete Crack Repair

UP TO 1/2" (W) X 1/4" (D)	24 HOURS	1 QT
------------------------------	-------------	------



Pick This Mix For: Repairing & sealing horizontal cracks up to 1/2".

CONCRETE REPAIR

Concrete Repair in a Tube

UP TO 1/2" (W) X 1/4" (D)	72 HOURS	10.1 OZ
------------------------------	-------------	---------



Pick This Mix For: Repairing & sealing vertical or horizontal cracks up to 1/2".

POLYURETHANE SEALANTS

Seal in Seconds

1/4" - 1/2" (W) & (D)	24 HOURS	10.1 OZ
--------------------------	-------------	---------



Pick This Mix For: Sealing horizontal or vertical cracks up to 1/2". Available in Self-Leveling & Non-Sag Formulations.

ADVANCED CONCRETE REPAIR



PRO-MIX ACCELERATED CONCRETE MIX

Faster. Stronger. More Workable.

> 7,000 PSI	2" AND OVER	1 HOUR	50 LB
----------------	-------------	--------	-------



Pick This Mix For: Pouring or repairing mission-critical sidewalks, driveways, footings & more. Extended workability, structural strength in 1 hour.

PRO-MIX ALL-PURPOSE CEMENT MIX

Exceptionally Strong. Extremely Versatile.

> 9,000 PSI	FEATHER EDGE TO 4" THICK	1 HOUR	50 LB 20 LB
----------------	--------------------------------	--------	----------------



Pick This Mix For: Repairing vertical or horizontal surfaces like no other mix can. Extended workability, structural strength in 1 hour.

PRO-MIX CONCRETE REPAIR

Polymer-Modified for the Most Challenging Repairs.

> 7,000 PSI	1/4" - 6"	1 HOUR	50 LB 20 LB
----------------	-----------	--------	----------------



Pick This Mix For: Repairing overhead, vertical or horizontal surfaces. Extended workability, structural strength in 1 hour.



SPECIFIED CONCRETE PRODUCTS

WHEN PERFORMANCE IS PARAMOUNT

For DOT and critical infrastructure repairs in the most demanding applications, choose US SPEC.

See page 26 for the details.



MASONRY MIXES & REPAIR PRODUCTS

QUICK TO CHOOSE EASY TO USE

Our product line is complete — not complicated. We make it simple to find the right product for your project so you can spend your time on the job instead of pouring over product data.

Every Sakrete product is formulated for superior quality and consistency, delivering the pro-grade results you expect in every application from setting brick and block to tuckpointing and beyond.

FEATURED PRODUCT

MORTAR MIX TYPE S

High-strength mortar mix for above- or below-grade use.



GENERAL MORTAR PRODUCTS



PSI
STRENGTH



APPLICATION
THICKNESS



AVAILABLE
SIZES

MORTAR MIX TYPE S

(AVAILABLE IN WHITE)

High-Strength Mortar for Above- or Below-Grade Applications

> 1,800

¼" – ½"

80 LB
60 LB
40 LB
10 LB



Pick This Mix For: Building structural masonry walls or scratch & brown stucco.

MORTAR MIX TYPE N

Medium-Strength Mortar for Above-Grade Applications

> 750

¼" – ½"

80 LB
60 LB
40 LB



Pick This Mix For: Laying brick or non-structural block walls. Above-grade only.

STONE VENEER MORTAR

Polymer-Modified Mortar for Superior Adhesion

> 1,800

¾" – ½"

80 LB
50 LB



Pick This Mix For: Setting natural or artificial stone over masonry or plywood substrates.

ROOF TILE MORTAR

Storm-Rated Strength for Clay & Cementitious Tile

3,500

—

80 LB



Pick This Mix For: Setting clay or cementitious roofing tile. Florida Building Code approved.

HIGH-HEAT MORTAR

High-Strength Mix for Applications Up to 2,550°F

—

⅛" – ⅜"

50 LB



Pick This Mix For: Laying fire brick or parging flue liners, barbecues or ovens.

GENERAL MORTAR REPAIR

MORTAR REPAIR

Mortar Repair in a Tube

⅛" – ⅜"

72 HOURS

10.1 OZ



Pick This Mix For: Repairing & tuckpointing mortar in masonry walls.

GENERAL STUCCO PRODUCTS



PSI
STRENGTH



APPLICATION
THICKNESS



AVAILABLE
SIZES

ONE-COAT FIBERED STUCCO

Pre-Blended Stucco for One-Coat Systems

1,100

⅛" – ⅜"

80 LB



Pick This Mix For: Increased strength for use in one-, two-, or three-coat stucco systems.

SCRATCH & BROWN STUCCO

Pre-Blended Stucco for Scratch & Brown Coat Applications

1,100

⅛" – ⅜"

80 LB



Pick This Mix For: Scratch & brown coats in one-, two- or three-coat stucco systems.

GENERAL MASONRY COATINGS

SURFACE BONDING CEMENT

Fiber-Reinforced Cement for Mortarless Masonry Applications

5,000

⅛" – ½"

50 LB



Pick This Mix For: Dry stack walls, parge/finish coat or reinforcing existing walls. Available in gray & white



ENGINEERED FOR COMMERCIAL MASONS

Amerimix pre-blended products enhance performance and reduce waste on large builds.

Learn more about Amerimix mortar, grout and stucco products on page 27.



FLOORING, CEMENTS AND MORE

DO IT FAST. MAKE IT LAST.

For every other application, whether it's a specialized repair or leveling a floor for tile, there's a Sakrete product to help you get it done fast and get it done right.

Explore the specialized resurfacing mixes, underlayments, admixtures, cements and more that you need to deliver the best results on every job.

FEATURED PRODUCT

FAST SETTING SELF-LEVELING RESURFACER

The only self-leveler rated for use as an underlayment or wear surface.



RESURFACING & LEVELING



FLO-COAT

Breathe New Life
Into Worn Concrete

4,500 PSI	FEATHER EDGE TO ½"	4 HOURS	40 LB 20 LB
--------------	--------------------------	------------	----------------



Pick This Mix For: Repair & resurfacing of damaged concrete or decorative finishing.

SELF-LEVELING UNDERLAYMENT

Simplified Surface Prep for
Interior Flooring Installation

5,000 PSI	⅛" – 1"	24 HOURS	50 LB
--------------	---------	-------------	-------



Pick This Mix For: Leveling wood or concrete surfaces for tile or resilient flooring install.

FAST-SETTING SELF-LEVELING RESURFACER

Rapid Leveling for Flooring
Install or Concrete Floors

7,000 PSI	FEATHER EDGE TO 1"	4 HOURS	50 LB
--------------	--------------------------	------------	-------



Pick This Mix For: The only mix rated for use as an underlayment or wear surface.

TROWEL-GRADE LEVELER & UNDERLAYMENT

Extended Leveling &
Underlayment Applications

5,000 PSI	0" – 2"	READY FOR TILE IN 4 HOURS	25 LB
--------------	---------	------------------------------------	-------



Pick This Mix For: Leveling applications where self-leveling properties aren't appropriate.

FLOOR MUD MORTAR

The Flooring Pro's
Choice for Tile Setting

—	½" – 2"	READY FOR TILE INSTANTLY	50 LB
---	---------	--------------------------------	-------



Pick This Mix For: Wet- or dry-set mortar bed installation of natural or ceramic tile.

ANCHORING, GROUTING & CEMENTS



ANCHOR CEMENT

Fast Setting, High
Strength Anchoring

14,000 PSI	2" AND UP	20 MIN	50 LB 20 LB 10 LB
---------------	--------------	-----------	-------------------------



Pick This Mix For: Securing bolts, railings & posts into concrete, brick or stone.

HIGH-STRENGTH ANCHORING EPOXY

Two-Part Epoxy Formulated
for Extended Workability

21,500 PSI	1" AND UP	24 HOURS	8.6 OZ
---------------	--------------	-------------	--------



Pick This Mix For: Horizontal or vertical anchoring applications.

RAPID-SETTING ANCHORING EPOXY

Two-Part Epoxy Formulated
for Speed & Strength

28,400 PSI	1" AND UP	10 HOURS	8.6 OZ
---------------	--------------	-------------	--------



Pick This Mix For: Horizontal or vertical anchoring applications ready for use 2x faster.

PRECISION NON-SHRINK GROUT

Versatile Formulation for
All Structural Applications

8,000– 12,500 PSI	1" – 4"	24 HOURS	50 LB
-------------------------	---------	-------------	-------



Pick This Mix For: Grouting of machinery bases, tilt-up panels, columns & more.

PORTLAND CEMENT TYPE I/II

High-Quality Portland Cement for Custom Mortar & Concrete Mixes

94 LB 47 LB



Pick This Mix For: Custom field-blended concretes or mortars.

MASONRY CEMENT TYPE S/N*

High-Quality Masonry Cement for Custom Mortar Mixes

78 LB 75 LB 70 LB



Pick This Mix For: Custom field-blended mortars.

*Available in select regions.

SAND & GRAVEL



MULTI-PURPOSE SAND

High-Quality Graded, Screened & Washed Landscaping Sand

0.5 FT³



Pick This Mix For: Landscaping/decoration, drainage base, coarse aggregate.

MASON SAND

Graded & Washed Mason Sand for Onsite Mixing

80 LB
50 LB



Pick This Mix For: Specialty mortar mixes (when used with masonry cement or a portland/lime combination), landscaping projects.

COMMERCIAL SAND

Graded & Washed Mason Sand for Onsite Mixing

50 LB



Pick This Mix For: Specialty mortar mixes (when used with masonry cement or a portland/lime combination), landscaping projects.

ALL-NATURAL PLAY SAND

All-Purpose Natural Screened Sand Mix

60 LB
50 LB



Pick This Mix For: Specialty mortar mixes (when used with masonry cement or a portland/lime combination), landscaping projects.

TUBE SAND

Durable & Resealable Packaged Traction Sand

70 LB



Pick This Mix For: Specialty mortar mixes (when used with masonry cement or a portland/lime combination), landscaping projects.

TRACTION SAND

Graded & Washed Mason Sand for Onsite Mixing

40 LB



Pick This Mix For: Specialty mortar mixes (when used with masonry cement or a portland/lime combination), landscaping projects.

ALL-PURPOSE GRAVEL

High-Quality Graded & Washed All-Purpose Gravel Mix

0.5 FT³



Pick This Mix For: Specialty mortar mixes (when used with masonry cement or a portland/lime combination), landscaping projects.

HARDSCAPING PRODUCTS



EZ SAND TAN POLYMERIC SAND

A Blend of Sand & Special Additives to Lock in Paver Joints

40 LB



Pick This Mix For: Securing pavers in driveway, patio or walkway applications.

EZ SAND GRAY POLYMERIC SAND

A Blend of Sand & Special Additives to Lock in Paver Joints

40 LB



Pick This Mix For: Securing pavers in driveway, patio or walkway applications.

CONCRETE & PAVER SEALER NATURAL/WET LOOK

Acrylic Waterproofing Sealer for All Concrete Surfaces

1 GAL



Pick This Mix For: Waterproof, seal & protect pavers or concrete.

POLYURETHANE CONSTRUCTION ADHESIVE

High-Strength Adhesive for Concrete, Brick, Wood, Ceramics and More

10.1 OZ



Pick This Mix For: Adhering masonry cap blocks, building retaining walls & more.



TECHNISEAL: AN OLDCASTLE APG COMPANY

Techniseal is North America's leading manufacturer of highly engineered paver installation products.

Learn more at Techniseal.com/EN

BONDING, CURING & CLEANING



BONDER & FORTIFIER

Improves Bond Strength of Repair Materials

1 GAL
1 QT



Pick This Mix For: Enhancing bond strength of repairs—use as paint-on or admixture.

CONCRETE GLUE

Greatly Improves Bond Strength of Repair Materials

1 GAL
1 QT



Pick This Mix For: Higher-latex formula for greater bond strength enhancement.

BOND STRENGTH PRIMER

Ensures Maximum Bond Strength of Repair Materials

1 GAL
1 QT



Pick This Mix For: Highest-latex admixture for maximum bond—mandatory for underlayments.

CURE 'N SEAL

Enhance Curing Performance & Concrete Durability

5 GAL
1 GAL



Pick This Mix For: Reducing need for wet curing new concrete or sealing existing pours.

CONCRETE DISSOLVER

Safe, Effective Removal of Dried Concrete Paste

5 GAL
1 GAL
28 OZ



Pick This Mix For: Removing dried-on cement-based materials without damaging surfaces.

ASPHALT REPAIR & CONCRETE ACCESSORIES



ALL-WEATHER BLACKTOP PATCH

Low-VOC Ready-To-Use Asphalt Patch

60 LB



Pick This Mix For: Repairing potholes in blacktop drives, walkways & parking lots.

US COLD PATCH

DOT-Grade Asphalt Patch with Zero Odor or Oily Mess

50 LB



Pick This Mix For: Repairing potholes in blacktop drives, walkways & parking lots.

BLACKTOP PATCH*

Ready-To-Use Asphalt Patch

60 LB



Pick This Mix For: Repairing potholes in blacktop drives, walkways & parking lots.

CEMENT COLORS

Synthetic Mineral-Oxide Based Pigments

10 OZ



Pick This Mix For: Adding long-lasting, vibrant color to concrete, mortar or stucco.

Available in Buff, Terra Cotta, Red & Charcoal

FORM TUBES

Moisture-Resistant, Heavy Duty
Cardboard Concrete Form

10"x48" 18"x48"
8"x48" 16"x48"
6"x48" 12"x48"



Pick This Mix For: Pouring piers and footings, posts, deck supports & more.

EXPANSION JOINT

Resilient Fiber-Based Expansion Joint for Concrete Slabs

4"x5'



Pick This Mix For: Providing expansion flexibility in sidewalks, roads, floors & more.

*Available in select regions.



SPECIFIED PRODUCTS

COMPLETE COMMERCIAL SOLUTIONS

For the biggest jobs and the most demanding applications, our specified products are built to handle anything you can throw at them.

AMERIMIX

Ditch the sand pile. Amerimix pre-blended mortars, grouts and stuccos reduce mixing time, enhance consistency and minimize waste so your crews can focus on building big.

US SPEC

For critical structural repair jobs, product performance is paramount. US SPEC provides the highest-performance grouts, curing compounds, form releases and repair products on the market to ensure every job gets done right.

FEATURED PRODUCT

AMERIMIX PRE-BLENDED MORTAR

Less mixing. More building.



SPECIFIED CONCRETE PRODUCTS



ENGINEERED PRODUCTS FOR DEMANDING APPLICATIONS

With over 30 years of expertise in concrete construction chemicals, US Spec is the brand trusted by commercial pros to tackle the most demanding projects.

TURN TO US SPEC FOR:

- | | |
|-------------------------------------|-----------------|
| Grouting & Anchoring | Concrete Curing |
| Restoration & Repair | Treatments |
| Bonding Agents & Admixtures | Form Release |
| Concrete Sealing & Floor Treatments | PT Grouts |

USSPEC.COM



FEATURED PRODUCT

GP GROUT* GROUTING & ANCHORING

GP Grout is designed to provide high flexural and compressive strength performance. It is non-metallic, non-shrink, non-corrosive and contains no added chlorides.

*Available in select regions.

SPECIFIED MASONRY PRODUCTS



LESS MIXING. MORE BUILDING.

Amerimix pre-blended products deliver mason-approved speed, efficiency and performance to your jobsite. Tried, tested and trusted by residential and commercial masons across the US.

TURN TO AMERIMIX FOR:

- | | |
|--------------------|---------------------------------|
| Pre-Blended Mortar | Pre-Blended Stone Veneer Mortar |
| Pre-Blended Grout | Silo Systems |
| Pre-Blended Stucco | |

AMERIMIX.COM



FEATURED PRODUCT

AMX 400 SERIES

PORTLAND CEMENT, LIME & SAND MORTARS

The Amerimix AMX 400 series is a factory blend of portland cement, hydrated lime and dried sand specially formulated to consistently provide excellent water retention, exceptional workability and superior bond strength in every bag.



SUPPORT BEYOND THE BAG

Since 1936, we've been focused on supporting our customers every step of the way. That means quality products inside the bag, responsive service, a variety of time-saving tools and the know-how to help you put those products to good use. Plus, Sakrete is backed by the power of Oldcastle APG—the country's largest building product manufacturer—so you can be sure that we're in your corner. That's support beyond the bag—today and for decades to come.



ON THE JOB SUPPORT

Our Technical Support Team is on hand with expert advice, product info and project tips to help the job go right.

Call **866-SAKRETE**

GET THE BEST RESULTS

Go beyond the basics with Sakrete Pro Tips—info from our experts to help you tackle any job faster and more efficiently.

Sakrete.com/ProTips



CONCRETE CALCULATORS

Get the right amount the first time. Sakrete has project calculators for every job to help you estimate fast and find the products you need.

Sakrete.com/Estimate

THE SAKRETE APP ESTIMATE ON THE JOB SITE

For faster, more accurate estimates, ditch the tape measure and get the Sakrete app. Powered by augmented reality, the app lets you measure, estimate and find a retailer from your phone to keep the job moving fast.





MERCHANDISING & IN-STORE SUPPORT

From in-depth training to on-shelf merchandising and product portfolios customized to your customer, Sakrete has the tools and resources you need to succeed. Get in touch to learn how Sakrete tools and know-how can revolutionize your business.



LOCALIZED DISTRIBUTION

Sakrete has you covered across North America. Our network of plants ensures that product is always close at hand to keep your operation running smoothly. **More at [Sakrete.com/Dealer](https://www.sakrete.com/Dealer)**



SAKRETE PRO TRAINING

Know more. Sell more. Our Concrete Pro Training courses are custom-tailored to give your team the expert knowledge to sell concrete like a pro.

[Sakrete.com/Training](https://www.sakrete.com/Training)

TOOLS TO TACKLE ANY CHALLENGE

Repair solutions, simplified. The Sakrete Concrete Repair Bay delivers a small SKU set designed to solve the most common concrete repair challenges and can be customized to fit your shelf space and customer base.

Contact your local Sakrete representative for more information.



PRODUCT DETAILS

PRODUCT	SIZE	ITEM #	Pallet Quantity
---------	------	--------	-----------------

GENERAL CONCRETE MIXES

High-Strength Concrete	80lb	65200390	42
High-Strength Concrete	60lb	65200940	56
High-Strength Concrete	40lb	65201030	80*
High-Strength Concrete	10lb	65200404	4/case
Fast Setting Concrete Mix	50lb	65305535	64
Sand Mix Concrete Mix	80lb	65200400	42
Sand Mix Concrete Mix	60lb	65306217	56
Sand Mix Concrete Mix	40lb	65305305	80
Maximizer Concrete Mix	80lb	65200007	35

ADVANCED CONCRETE MIXES

5000 Plus Concrete	50lb	65200253	64
Crack Resistant Concrete	50lb	65205002	64
Pro-X180 Concrete Mix	80lb	65200642	42
Self-Consolidating Concrete Mix	50lb	65200643	30

GENERAL CONCRETE REPAIR

Top 'N Bond Concrete Patcher	40lb	60201130	36
Top 'N Bond Concrete Patcher	20lb	60450018	Ea.
Top 'N Bond Concrete Patcher	10lb	65455001	4/case
Fast Setting Cement Patcher	40lb	60200640	36
Fast Setting Cement Patcher	20lb	60200630	Ea.
Fast Setting Cement Patcher	10lb	60205004	4/case
Leak Stopper Hydraulic Cement	50lb	60200700	36*
Leak Stopper Hydraulic Cement	20lb	65450006	Ea.
Leak Stopper Hydraulic Cement	10lb	60205005	4/case

CONCRETE CRACK REPAIR

Concrete Crack Filler	1 qt	60205006	12/case
Concrete Repair	10.1oz	65450021	12/case
Polyurethane Non-Sag Sealant	10.1oz	65450009	12/case
Polyurethane Self-Leveling Sealant	10.1oz	65450008	12/case

PRODUCT DETAILS

PRODUCT	SIZE	ITEM #	Pallet Quantity
---------	------	--------	-----------------

ADVANCED CONCRETE REPAIR

Pro-Mix Accelerated Concrete Mix	50lb	65200651	30
Pro-Mix All-Purpose Cement Mix	50lb	65450046	30
Pro-Mix All-Purpose Cement Mix	20lb	65450047	Ea.
Pro-Mix Concrete Repair	50lb	65450044	30
Pro-Mix Concrete Repair	20lb	65450045	Ea.

GENERAL MORTAR MIXES

Mortar Mix – Type S	80lb	65302880	42
Mortar Mix – Type S	60lb	65300024	56
Mortar Mix – Type S	40lb	65300042	80
Mortar Mix – Type S	10lb	60200331	4/case
Mortar Mix – Type S - White	40lb	65300043	80
Mortar Mix – Type N	80lb	65304270	42
Mortar Mix – Type N	60lb	65306214	56
Mortar Mix – Type N	40lb	65300039	80
Stone Veneer Mortar	80lb	65303105	42
Stone Veneer Mortar	50lb	65306213	30
Roof Tile Mortar	80lb	65300047	42
High Heat Mortar	50lb	65200641	32

GENERAL MORTAR REPAIR

Mortar Repair	10.1oz	65450016	12/case
---------------	--------	----------	---------

GENERAL STUCCO PRODUCTS

Stucco – Scratch & Brown Base Coat	80lb	65401033	42
Stucco – Fibered One-Coat	80lb	65400001	42

GENERAL MASONRY COATINGS

Surface Bonding Cement - Gray	50lb	65300845	30
Surface Bonding Cement - White	50lb	60200350	30

PRODUCT DETAILS

PRODUCT	SIZE	ITEM #	Pallet Quantity
---------	------	--------	-----------------

RESURFACING & LEVELING

Flo-Coat Resurfacer	40lb	65450019	36
Flo-Coat Resurfacer	20lb	65450007	Ea.
Self-Leveling Underlayment	50lb	65550022	35*
Fast-Setting Self-Leveling Resurfacer	50lb	65450031	16
Trowel-Grade Leveler & Underlayment	25lb	65550060	36
Floor Mud Mortar	50lb	65200407	56

GROUTING, ANCHORING & CEMENTS

Anchor Cement	50lb	65450036	36
Anchor Cement	20lb	65450004	Ea.
Anchor Cement	10lb	60205003	4/case
High-Strength Anchoring Epoxy	8.6oz	60200050	12/case
Rapid-Setting Anchoring Epoxy	8.6oz	60200221	12/case
Precision Non-Shrink Construction Grout	50lb	65450041	30
Portland Cement – Type I/II	94lb	65150083	35*
Portland Cement – Type I/II	47lb	65150087	64*
Masonry Cement – Type S	78lb	65150085	40
Masonry Cement – Type S	75lb	65150086	40
Masonry Cement – Type N	70lb	65150084	40

SAND & GRAVEL

Multi-Purpose Sand	0.5 ft ³	40100223	56
Mason Sand	80lb	40150440	42
Mason Sand	50lb	40100571	56
Commercial Sand (Fine)	50lb	65200801	56
Commercial Sand (Medium)	50lb	65200802	56
Play Sand	60lb	40100374	56
Play Sand	50lb	40100301	56
Tube Sand	70lb	65305345	42
Traction Sand	40lb	40108043	36*
All-Purpose Gravel	0.5 ft ³	40205521	56

ASPHALT REPAIR

All-Weather Blacktop Patch	60lb	60200240	40
US Cold Patch	50lb	60450007	56
Blacktop Patch	60lb	60450001	40

PRODUCT DETAILS

PRODUCT	SIZE	ITEM #	Pallet Quantity
---------	------	--------	-----------------

HARDSCAPING PRODUCTS

EZ Sand – Tan	40lb	40100399	36
EZ Sand – Gray	40lb	40100398	36
Concrete & Paver Sealer – Natural Look	1 gal	65450038	4/case
Concrete & Paver Sealer – Wet Look	1 gal	65450039	4/case
Polyurethane Construction Adhesive	10.1oz	65450012	12/case

BONDING AGENTS

Bonder & Fortifier	1 gal	60205002	4/case
Bonder & Fortifier	1 qt	60205000	12/case
Concrete Glue	1 gal	60050002	4/case
Concrete Glue	1 qt	60200361	12/case
Bond Strength Primer	1 gal	60200521	4/case
Bond Strength Primer	1 qt	60200522	12/case

CURING & CLEANING

Cure 'N Seal	5 gal	65510045	4/case
Cure 'N Seal	1 gal	65455000	4/case
Concrete Dissolver	5 gal	65510208	Ea.
Concrete Dissolver	1 gal	60200275	4/case
Concrete Dissolver	28 oz	65510207	12/case

CONCRETE ACCESSORIES

Cement Color – Buff	10oz	65075001	12/case
Cement Color – Charcoal	10oz	65075002	12/case
Cement Color – Red	10oz	65075003	12/case
Cement Color – Terra Cotta	10oz	65075004	12/case
Form Tube	6" x 48"	65470072	Ea.
Form Tube	8" x 48"	65470075	Ea.
Form Tube	10" x 48"	65470006	Ea.
Form Tube	12" x 48"	65470062	Ea.
Form Tube	16" x 48"	65475000	Ea.
Form Tube	18" x 48"	65470019	Ea.
Concrete Expansion Joint	4" x 5'	65470081	40



READY MADE
PRO GRADE

866-SAKRETE
SAKRETE.COM

